

EAST Search History (2011) ~~2011~~

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11821	((257/314) or (257/315) or (257/316) or (257/319) or (257/321) or (257/323) or (257/326) or (365/63) or (365/185.05) or (365/185.11) or (365/185.17) or (365/185.33)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 15:42
L2	16	1 and NAND adj Flash adj Memory and overlap\$4 near6 (select adj gate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 15:48
L3	4	(actrans.as. (chen near1 chiou adj feng).in. prateep.in. (fan near1 der\$1tsyr).in.) and NAND adj Flash adj Memory.clm. and overlap\$4 near6 (select adj gate).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 15:51
S1	6	"753103".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 15:33
S16	48	NAND adj flash.ti.	US-PGPUB; USPAT	OR	OFF	2006/01/05 13:59
S17	143	NAND near2 flash near10 memory. ti,ab,clm.	USPAT	OR	OFF	2005/07/18 17:35
S18	38	NAND near2 flash near10 memory. ti,ab,clm. and floating near2 gate and control near2 gate and select near2 gate and (tunnel tunneling tunnelling Fowler Nordheim)	USPAT	OR	OFF	2005/07/18 17:42
S19	143	NAND near2 flash near10 memory. ti,ab,clm.	USPAT	OR	OFF	2005/07/18 17:47
S20	12	NAND near2 flash near10 memory. ti,ab,clm. and stack near10 gate	USPAT	OR	OFF	2005/07/18 17:48
S21	29	NAND near2 flash near10 memory. ti,ab,clm. and stack near10 gate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 17:49
S22	9	(US-20040057286-\$ or US-20050133851-\$ or US-20050133860-\$ or US-20050145923-\$).did. or (US-6417538-\$ or US-6573556-\$ or US-6605506-\$ or US-6790729-\$ or US-6885586-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/07/19 08:20

EAST Search History

S23	8	((("6,498,377") or ("6,503,785") or ("6,091,104") or ("6115,287") or ("5,197,027") or ("5,541,130") or ("6,034,894") or ("6,747,310"))).PN. or (2004/0130947).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/19 08:25
S24	2	((("4959812") or ("5050125"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/19 08:39
S25	0	("2andselectandcontrolandfloating") .PN.	US-PGPUB; USPAT	OR	OFF	2005/07/19 08:39
S26	7	S23 and floating and select\$3 and control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 08:43
S27	2	("4959812").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 08:49
S28	4351	select near10 (floating control) near10 (surround\$3 side adjacent "next") and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 08:51
S29	1049	select near10 (floating control) near10 (surround\$3 side adjacent "next") and memory and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 08:51
S30	230	select near10 (floating control) near10 (surround\$3 side adjacent "next") and memory and flash and nand	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 08:52
S31	163	select near10 (floating control) near10 (surround\$3 side adjacent "next") and memory and flash and nand and tunnel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 08:57
S32	5	"223208".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 09:04
S33	8411	((257/314) or (257/315) or (257/316) or (257/319) or (257/321) or (257/323) or (257/326) or (365/185.05) or (365/185.11) or (365/185.17) or (365/63)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 14:32

EAST Search History

S34	1582	S33 and select near10 (control floating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:07
S35	1001	S33 and select near10 (control floating) and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:07
S36	932	S33 and select near10 (control floating) and flash and voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:12
S37	849	S33 and select near6 (control floating) and flash and voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:14
S38	223	S33 and select near6 (control floating) and flash near2 nand and voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:36
S39	4	((("6370081") or ("6400604"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 12:46
S40	2	"20010017789"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:45
S41	510	(flotox tunnel\$4) and select near8 (control floating) near8 ("side" surround\$3 adjacent "next")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 09:46
S42	1516	source adj (region diffusion contact) near10 overlap\$4 near10 gate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 12:46
S43	502	(flotox tunnel\$4) and select near8 (control floating) near8 ("side" surround\$3 adjacent "next") and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 12:47

EAST Search History

S44	36	S42 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 13:01
S45	17	S42 and S43 and overlap\$4 near4 select	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 13:07
S46	71	select adj gate near6 source near6 (directly below "under" underneath overlap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 13:13
S47	54	select adj gate near4 source near4 (directly below "under" underneath overlap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 13:14
S48	36	select adj gate near3 source near3 (directly below "under" underneath overlap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 13:52
S49	1	actrans.as. and select adj gate near4 overlap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 13:53
S50	1	actrans.as. and select adj gate near8 overlap\$4 near8 (source drain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 13:54
S51	20	actrans.as. and select adj gate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 13:59
S53	22	(overlap overlaps overlapping) near10 select adj gate near10 (source drain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 14:09
S54	23	(overlap overlaps overlapping) near10 select adj gate near10 (source drain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:10

EAST Search History

S55	22	(overlap overlaps overlapping) near5 select adj gate near5 (source drain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:10
S56	20	(overlap overlaps overlapping) near3 select adj gate near3 (source drain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:11
S57	0	(overlap overlaps overlapping) near2 select adj gate near2 (source drain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:11
S58	10	(overlap overlaps overlapping) near3 select adj gate near2 (source drain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:20
S59	3319	(overlap overlaps overlapping) near3 gate near2 (source drain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:20
S60	117	(overlap overlaps overlapping) near3 gate near2 (source drain) near8 (speed voltage) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:25
S61	0	(overlap overlaps overlapping) near3 select adj gate near2 (source drain) near8 (speed voltage) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:26
S62	0	(overlap overlaps overlapping) near3 select near2 gate near2 (source drain) near8 (speed voltage) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:26
S63	2	(overlap overlaps overlapping) near6 select near2 gate near6 (source drain) near8 (speed voltage) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:26

EAST Search History

S64	9294	((257/314) or (257/315) or (257/316) or (257/319) or (257/321) or (257/323) or (257/326) or (365/185.05) or (365/185.11) or (365/185.17) or (365/185.33) or (365/63)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 14:33
S65	1264	(365/185.33).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/19 14:33
S66	71	S65 and select adj gate near4 (source drain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:09
S67	83	S65 and (access select selection second) adj gate near4 (source drain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:10
S68	53	S65 and (access select selection second) adj gate near8 (source drain) near8 (voltage speed time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:18
S69	2	("6885586").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:18
S70	4	((("6815760") or ("6821847"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:58
S71	34	source near4 self-align\$4 and NAND adj flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 15:59
S72	11	"6400604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 10:33
S73	2	("6400604").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 16:03

EAST Search History

S74	2413	memory adj block.ti,ab,clm. and array and block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 10:46
S75	398	memory adj block.ti,ab,clm. and array and block and erase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 10:46
S76	81	erase near6 memory adj block.ti,ab, clm. and array and block and erase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 10:52
S77	54	erase near6 memory adj block.ti,ab, clm. and array near4 block and erase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 10:53
S78	24	erase near6 memory adj block.ti,ab, clm. and array near4 block near4 erase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 10:54
S79	6	"753103".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 10:56
S80	56	eras\$3 near3 simultaneous\$2 near6 array and NAND near4 flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 10:57
S81	30	eras\$3 near3 simultaneous\$2 near3 array and NAND adj flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 13:57
S82	42	modulation-doped.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 13:57
S83	4	"753103".ap. and (unselect\$3 select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 15:59

EAST Search History

S84	1	"6400604".pn. and eras\$3 near3 chip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 16:07
S85	2	"6400604".pn. and (select\$3 unselect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 16:07
S86	2	("6400604").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/31 13:59
S87	2	S86 and (flash NAND)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/31 14:00
S88	2	S86 and (NAND)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/31 14:04
S89	8	nand adj flash.ti,ab,clm. and ((bitline (bit adj line)) adj (diffusion source)) and select adj gate and stack\$3 near2 gate and (selfalign\$4 self-align\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 14:09
S90	4	nand adj flash.ti,ab,clm. and ((bitline (bit adj line)) adj (diffusion source)) and select adj gate and stack\$3 near2 gate and (selfalign\$4 self-align\$4) and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 14:11
S91	4	nand adj flash.ti,ab,clm. and ((bitline (bit adj line)) adj (diffusion source)) and select adj gate and (selfalign\$4 self-align\$4) and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 14:13
S92	4	nand adj flash.ti,ab,clm. and ((bitline (bit adj line)) near4 (diffusion source)) and select adj gate and (selfalign\$4 self-align\$4) and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 14:13
S93	4	nand adj flash.ti,ab,clm. and ((bitline (bit adj line)) adj (diffusion) near4 source) and select adj gate and (selfalign\$4 self-align\$4) and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 14:15

EAST Search History

S94	4	nand adj flash.ti,ab,clm. and ((bitline (bit adj line)) near4 (diffusion) near4 source) and select adj gate and (selfalign\$4 self-align\$4) and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 14:16
S95	4	nand adj flash.ti,ab,clm. and ((bitline (bit adj line)) near4 (diffusion) near4 source) and select adj gate and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 14:16
S96	4	nand adj flash.ti,ab,clm. and ((bitline (bit adj line)) near8 (diffusion) near8 source) and select adj gate and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 14:17
S97	22	nand adj flash and ((bitline (bit adj line)) near8 (diffusion) near8 source) and select adj gate and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 14:21
S98	6	nand adj flash.ti,ab,clm. and ((bitline (bit adj line)) same (diffusion) same source) and select adj gate and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 14:24
S99	52	nand adj flash.ti,ab,clm. and ((bitline (bit adj line)) same common source) and select adj gate and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 14:24
S100	4	nand adj flash.ti,ab,clm. and (bitline adj contact bit adj line adj contact) and (common near2 source) and select adj gate and (selfalign\$4 self-align\$4) and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 15:25
S101	6	nand adj flash.ti,ab,clm. and (bitline bit adj line) and (common near2 source) and select adj gate and (selfalign\$4 self-align\$4) and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 15:27
S102	2	("20050145923").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/31 15:27
S103	1	(US-20050145923-\$).did.	US-PGPUB	OR	OFF	2005/12/31 15:29

EAST Search History

S10 4	1	S103 and source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/31 15:39
S10 5	223	nand adj flash and select adj gate and common near2 source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/31 15:39
S10 6	230	nand adj flash and select adj gate and common near2 source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 15:39
S10 7	60	nand adj flash and select adj gate and common near2 source and (bitline bit adj line) near2 contact	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 15:40
S10 8	40	nand adj flash and select adj gate and common near2 source and (bitline bit adj line) near2 contact and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 15:40
S10 9	3	nand adj flash.ti,ab,clm. and single adj source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 16:39
S11 0	9	nand adj flash.ti,ab,clm. and select adj gate near10 diffusion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 16:40
S11 1	6	"753103".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:20
S11 2	2	("6911690").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:41
S11 3	4	select adj gate near6 ("above" "overlying") near6 source and nand adj flash.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:45

EAST Search History

S11 4	208	nand adj flash adj memory.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:45
S11 5	19	nand adj flash adj memory.ti.	USPAT	OR	ON	2006/01/04 14:46
S11 6	2860	((257/315) or (365/185.17)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:46
S11 7	221	S116 and (select adj gate) near4 source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:37
S11 8	5	S116 and (select adj gate) near4 source near4 overlap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:52
S11 9	72	S116 and (select adj gate) near4 source and nand adj flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:40
S12 0	5	S116 and (select adj gate) near4 source near4 overlap\$4 and nand adj flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:42
S12 1	5	S116 and (select adj gate) near4 source near4 overlap\$4 and nand adj flash and (bit adj line bitline)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:44
S12 2	5	S116 and (select adj gate) near4 source near4 overlap\$4 and nand adj flash and (bit adj line bitline) near3 contact	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:59
S12 3	2785	overlap near3 gate near4 source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:00

EAST Search History

S12 4	1305	overlap near2 gate near2 source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:00
S12 5	573	overlap near2 gate near2 source and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:00
S12 6	106	overlap near2 gate near2 source.ti, ab,clm. and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:00
S12 7	0	overlap near2 gate near2 source.ti, ab,clm. and nand adj flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:01
S12 8	74	overlap near2 gate near2 source.ti, ab,clm. and memory.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:08
S12 9	0	overlap near2 gate near2 source near4 (efficien\$2 resistance conductance).ti,ab,clm. and memory.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:12
S13 0	3	overlap near2 gate near2 source near4 (efficien\$2 resistance conductance).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:15
S13 1	3	overlap near2 gate near2 source near4 (efficien\$2 resistance conductance).ti,ab,clm. and (overlap overlapping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:16
S13 2	49	gate near4 overlap\$4 near4 source near4 (resistance conductance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:54
S13 3	51	gate near4 overlap\$4 near4 source near4 (resistance conductance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:30

EAST Search History

S13 4	2	"6911690".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:30
S13 5	43	(US-20040047203-\$ or US-20040057286-\$ or US-20040079970-\$ or US-20040232473-\$ or US-20050122776-\$ or US-20050133851-\$ or US-20050133860-\$ or US-20050135152-\$ or US-20050145923-\$ or US-20050146937-\$ or US-20050207225-\$ or US-20050276106-\$).did. or (US-4959812-\$ or US-5050125-\$ or US-5197027-\$ or US-5508957-\$ or US-5541130-\$ or US-6034892-\$ or US-6034894-\$ or US-6091104-\$ or US-6115287-\$ or US-6151248-\$ or US-6184554-\$ or US-6344993-\$ or US-6400604-\$ or US-6417538-\$ or US-6498377-\$ or US-6503785-\$ or US-6573556-\$ or US-6605506-\$ or US-6747310-\$ or US-6790729-\$ or US-6815760-\$ or US-6821847-\$ or US-6862223-\$ or US-6878991-\$ or US-6885044-\$ or US-6885586-\$). did. or (US-6894930-\$ or US-6898121-\$ or US-6911690-\$). did. or (US-20040057286-\$ or US-20050145923-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/01/05 07:57
S13 6	0	S135 and chapman.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 07:57
S13 7	2	("6118161").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 08:01
S13 8	0	S135 and sakui.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 08:01

EAST Search History

S13 9	2	("6411548").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 08:01
S14 0	0	("selectadjgatenear3abovenear3source").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 08:10
S14 1	26	select adj gate near3 above near3 source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 08:15
S14 2	26	select adj gate near3 above near3 source and source and select adj gate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 08:21
S14 3	44	select adj gate near3 (overlying overlie above) near3 source and source and select adj gate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 08:21
S14 4	18	select adj gate near3 (overlying overlie above) near3 source and source and select adj gate and nand	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 08:27
S14 5	30	select adj gate near3 (overlying overlie above "over" overhead) near3 source and source and select adj gate and nand	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 08:27

EAST Search History

S14 6	46	(US-20040047203-\$ or US-20040057286-\$ or US-20040079970-\$ or US-20040232473-\$ or US-20050122776-\$ or US-20050133851-\$ or US-20050133860-\$ or US-20050135152-\$ or US-20050145923-\$ or US-20050146937-\$ or US-20050207225-\$ or US-20050276106-\$ or US-20040065917-\$).did. or (US-4959812-\$ or US-5050125-\$ or US-5197027-\$ or US-5508957-\$ or US-5541130-\$ or US-6034892-\$ or US-6034894-\$ or US-6091104-\$ or US-6115287-\$ or US-6151248-\$ or US-6184554-\$ or US-6344993-\$ or US-6400604-\$ or US-6417538-\$ or US-6498377-\$ or US-6503785-\$ or US-6573556-\$ or US-6605506-\$ or US-6747310-\$ or US-6790729-\$ or US-6815760-\$ or US-6821847-\$ or US-6862223-\$ or US-6878991-\$ or US-6885044-\$ or US-6885586-\$). did. or (US-6894930-\$ or US-6898121-\$ or US-6911690-\$ or US-6118161-\$ or US-6411548-\$). did. or (US-20040057286-\$ or US-20050145923-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/01/05 08:50
S14 7	1	S146 and sakui.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 09:11
S14 8	2	jp-2001303240\$-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 09:26
S14 9	2	("6400604").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 09:38
S15 0	2	("6911690").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:05

EAST Search History

S15 1	0	("eraseadjpathandnandadjflashadjmemory").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:05
S15 2	5	erase adj path and nand adj flash adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 11:06
S15 3	558	erase adj operation and nand adj flash adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 11:06
S15 4	27	erase adj operation.ti,ab,clm. and nand adj flash adj memory.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 11:08
S15 5	2	erase adj operation near6 substrate and nand adj flash adj memory.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 11:09
S15 6	7	erase adj operation near6 (FN Fowler) and nand adj flash adj memory.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 11:13
S15 7	8844	((257/314) or (257/315) or (257/316) or (257/319) or (257/321) or (257/323) or (257/326) or (365/63) or (365/185.05) or (365/185.11) or (365/185.17) or (365/185.33)).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/01/05 14:00
S15 8	383	S157 and nand adj flash adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:05
S15 9	34	bitline same source.ti,ab,clm. and floating.ti,ab,clm. and select.ti,ab,clm. and S157	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:10

EAST Search History

S16 0	0	bitline same source.clm. and floating.clm. and select.clm. and "actrans.as.1"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:11
S16 1	0	bitline same source.clm. and floating.clm. and select.clm. and actrans.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:11
S16 2	5	(bit adj line bitline) same source.clm. and floating.clm. and select.clm. and actrans.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:11
S16 3	4	"6911690"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 14:33
S16 4	2	"6361747".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 14:40
S16 5	1	(US-20050145923-\$).did.	US-PGPUB	OR	OFF	2006/11/13 14:13
S16 7	1	S165 and capacitance	US-PGPUB	OR	ON	2006/11/13 14:13
S16 8	2	("6911690").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/13 15:49
S16 9	0	("floatingadjgateandoverlap\$3near4 drain").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/13 16:38
S17 0	1172	floating adj gate and overlap\$3 near4 drain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:39
S17 1	21	select adj gate with overlap\$3 near4 drain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:42

EAST Search History

S17 2	21	select adj gate with overlap\$3 near4 drain and overlap\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 17:07
S17 3	2	("6,411,548").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 10:07
S17 4	0	floating adj gate and select adj gate and control adj gate and tunnel\$4 and relatively adj thin and relatively adj thick	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 10:08
S17 5	82	floating adj gate and select adj gate and control adj gate and tunnel\$4 and thin near4 dielectric and thick near4 dielectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 10:09
S17 6	2	floating adj gate with select adj gate with control adj gate with tunnel\$4 with (thin near4 dielectric) with (thick near4 dielectric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 10:15
S17 7	0	floating adj gate with select adj gate with control adj gate with ((tunnel\$4 near4 thin) near4 dielectric) with (thick near4 dielectric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 10:49
S17 8	5	floating adj gate same select adj gate with control adj gate same ((tunnel\$4 near4 thin) near4 dielectric) same (thick near4 dielectric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 10:50
S17 9	8	authentication with (computer near3 user) and crystal adj oscillator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:06
S18 0	462	(713/155).CCLS.	USPAT	OR	OFF	2006/11/14 16:13
S18 1	599	((713/155) or (713/178)).CCLS.	USPAT	OR	OFF	2006/11/14 16:13
S18 2	2	crystal adj oscillator and S181	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 16:15

EAST Search History

S18 3	2226	((713/155) or (713/178) or (713/400)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 16:15
S18 4	88	S183 and crystal adj oscillator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:16
S18 5	84	713/400.ccls. and crystal adj oscillator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:16
S18 6	68	713/400.ccls. and crystal adj oscillator	USPAT	OR	ON	2006/11/14 16:20
S18 7	5	"704750".ap.	US-PGPUB; USPAT	OR	ON	2006/11/14 16:31
S18 8	0	"704750".ap. and blue adj tooth	US-PGPUB; USPAT	OR	ON	2006/11/14 16:32
S18 9	1	"704750".ap. and bluetooth	US-PGPUB; USPAT	OR	ON	2006/11/14 16:32
S19 0	2513	257/314	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:14
S19 1	4159	257/315	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:14
S19 2	8	/316	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:15
S19 3	11070	((257/314) or (257/315) or (257/316) or (257/319) or (257/321) or (257/323) or (257/326) or (365/63) or (365/185.05) or (365/185.11) or (365/185.17) or (365/185.33)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:16
S19 4	4	S193 and nand adj flash.ti,ab,clm. and overlap\$4 near6 select near6 (source drain).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 15:42

EAST Search History

S19 5	4	S193 and nand adj flash.ti,ab,clm. and overlap\$4 near6 select near6 (source drain).ti,ab,clm. and (source drain) near4 "between"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 15:43
S19 6	1	(US-20050145923-\$).did.	US-PGPUB	OR	OFF	2007/05/10 07:18
S19 7	1	(US-20050145923-\$).did. and tunnel\$4	US-PGPUB	OR	OFF	2007/05/10 08:02
S19 8	2	("6911690").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 09:19
S19 9	1	"6911690".pn. and (bitline bit adj line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:54
S20 0	2	("6411548").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 12:01
S20 1	5	"518021".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 12:40
S20 2	2	"6118161".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 15:41